

SEA gates



CLASSIC RANGE

BROCHURE 2019



CONTENTS

Introduction	4
Classic Range	6
Cézanne (CLO1)	6
Klimt (CLO2)	7
Matisse (CLO3)	8
Picasso (CLO4)	9
Renoir (CLO5)	10
Ticiano (CLO6)	11
Whistler (CLO7)	12
Zorn (CLO8)	13
Extended Range	14
Colour Chart	20
Measuring Gates	22
Terms & Conditions	24

CREATE THE PERFECT LOOK FOR YOUR HOME WITH THE SEAGATE RANGE OF ALUMINIUM GATES

WHY CHOOSE SEAGATES?

SEAgates has been selling gates in the UK for over 20 years and is now the largest supplier of aluminium gates in the country.

We have our own facility in the UK and stock, remodel and repair aluminium gates on-site. Over the years, we've developed a wealth of expertise and have supplied gates to hundreds of happy customers.

Every single gate that leaves our site is carefully inspected by a member of our expert team to make sure it meets our high standards. This ensures the gates our customers receive are in pristine condition and are ready to be installed, automated and used straight away.

With over two decades of experience, a fantastic range of high quality gates and a commitment to customer satisfaction, SEAgates is the perfect choice for your gate installation. Give us a call on **0121 433 3348** to find out more and make your gate the star of your home.



WHY CHOOSE ALUMINIUM?

Strong, durable and stylish, aluminium gates can withstand the worst the British weather can throw at them. The perfect way to enhance curb appeal and transform the look of your driveway, aluminium gates will make the ideal addition to your home.

Unlike wooden gates, aluminium won't warp, bend or split over time. Easy to maintain and offering a great choice of finishes, aluminium gives you all the benefits of wood without the maintenance.

If you love the look of timber but don't want to see your gates slowly succumb to wet rot or green algae, opt for a wood finish for your aluminium gates. Combining the natural beauty of wood with the strength and durability of aluminium, wood effect gates are the perfect choice for your home.

Thanks to recent advances in manufacturing, wood effect aluminium gates are now more affordable, more hardwearing and more realistic than ever. Almost indistinguishable from natural timber, wood effect aluminium gates can give you the look and the durability you need for your home.

Pictured: Left: CL04, Top above: CL04 and pedestrian gate, above: CL05, Left hand page top: CL01, bottom: DS19

KEY BENEFITS OF ALUMINIUM GATES:

Strength - Thanks to their modular extrusion construction, aluminium gates are both incredibly strong and incredibly light. This construction is guaranteed for five years.

Durability - Their tough coating protects aluminium gates from the elements and prevents the finish from fading over time. This protective layer is guaranteed for ten years.

Versatility - Aluminium gates can be finished in a wide range of textures and colours including realistic wood effect.

Low maintenance - Aluminium gates require virtually no maintenance and will stay looking pristine for years.



KLIMT

CL02

KEY FEATURES

- Mixed infill gate with single arch top.
- At the hinge, the open and closed panels are equal height.
- Matching pedestrian gate with straight top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

swing appearance. Please contact us for max. size of sliding gate conversion.

Sliding gate option available with double

KEY FEATURES

- Mixed infill gate with straight top.
- Open section is 200mm higher than bottom closed section (*not shown in pictures*).
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



CL01

CÉZANNE

MATISSE

CL03

KEY FEATURES

- Solid boarded gate with straight top.
- Matching pedestrian gate with straight top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



KEY FEATURES

- The ever-popular solid boarded gate with double arch top.
- Matching pedestrian gate with flat top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



CL04

PICASSO

RENOIR

CL05

KEY FEATURES

- Mixed infill gate with double arch top.
- At the hinge, the open and closed panels are equal height.
- Matching pedestrian gate with flat top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



KEY FEATURES

- Solid boarded gate with single arch top.
- Matching pedestrian gate with flat top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



TICIANO

CL06



CL07

KEY FEATURES

- Solid boarded sliding gate with straight top.
- Single leaf appearance.
- Matching pedestrian gate available.
- Made-to-measure and suitable for automation.

Please contact us for max. size of sliding gate conversion.



KEY FEATURES

- Mixed infill gate with single arch top.
- At the hinge, the open and closed panels are equal height (*not shown in pictures*).
- Matching pedestrian gate with straight top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Please contact us for max. size of sliding gate conversion.



ZORN

CL08



EXTENDED RANGE



Pictured: left: DS19 top right: SM02 middle right: DS17
bottom right: SM08 (modified)

Our extended gate range contains a fantastic choice of stylish designs and bespoke options. From translucent glass panels to contemporary contours, these eye-catching gates will add something truly special to your property.

EXTENDED RANGE



Pictured: right: SMo4 top left: MDo5
middle left: Ds19 bottom right: SMo4




For our full range of contemporary, modern and traditional gates please go to our website:
www.seaukltd.co.uk/gates

EXTENDED RANGE

Available in a huge variety of colours, designs and finishes, our extensive range of aluminium gates has something for everyone. However, if you want something a little bit different, we can work with you to create a completely bespoke solution for your home. Get in touch with a member of our team to find out more.

EXTENDED CLASSIC RANGE




DESIGN RANGE



MODERN RANGE



SEMI MODERN RANGE



COLOUR RANGE

STANDARD COLOURS

These are the most popular colours in the Stargate range. Our standard colours are stylish, eye-catching and affordable.

Anthracite - This striking dark grey tone is one of our most popular finishes. Ideal for both urban and rural settings, this stylish colour will add the perfect finishing touch to your driveway.

Bordeaux Red - Deep, rich and bold, Bordeaux Red will help your gates to make a real statement.

Brown - Giving the appearance of a wood finish but without the grain, brown is a good choice if you want a natural look for your gates.

Green - This bold tone will really help your gates to stand out.

Ivory - A great choice for a contemporary finish, ivory gates will give your home a modern aesthetic.

White - Clean and simple, white is the perfect option for a minimalist look.



WOOD EFFECTS

Combine the functionality and strength of aluminium with the beauty of natural timber by choosing one of our stylish wood effect finishes.


Golden Oak - The perfect choice for a traditional look, Golden Oak is ideal for both urban and rural settings.

Light Oak - Light Oak is a beautiful honey-coloured finish that will add character and style to your driveway.

Walnut - Our deepest wood finish, Walnut will give your gates a rich, attractive aesthetic.

Dark Oak - The boldest colour in our oak range, a Dark Oak finish will help your gates to really make a statement.

Light Nut - Although it's almost the same shade as Dark Oak, Light Nut has a completely different grain pattern and its own unique aesthetic.



TEXTURES

Our textured finishes are available in black, brown and various shades of grey. Giving your gates a tactile quality and a fantastic extra dimension, these finishes will enhance the look of your gate and help it to stand out from the crowd.



Colours on this page may not be a true representation due to the printing processes and are for illustration purposes only. True colour swatches are available for the standard, wood effect and textured finishes on request.



RAL CHART

Our range of tones and textures includes all the shades in the RAL colour chart. A selection of these colours is shown above.

Each colour from the RAL range is given a unique code so you can find the exact tone you want.

We also offer non-standard wood effect and non-standard colour finishes. As these are bespoke options, they're made to order and may add a little time to the manufacturing process. Finishes subject to availability.

HOW TO MEASURE GATES

SINGLE LEAF GATE

Manual Gates are supplied with a full set of hinges, handles with a lock and a full length slam plate. They also have optional extras including open latching stop and an electric lock.

Automated Gates are supplied with a full set of hinges and a full length slam plate. Automation needs to be confirmed as underground or above ground. For above ground automation, the position of the reinforcing need to be confirmed (mid rail or bottom rail).

Dimensions


A - Dimensions between posts/pier.

B - Width of gate panel.


C - Height of top of hinge stile from ground level.

D - Height of post/pier.

The height of the pier must be a minimum of 100mm higher than the hinge stile.



DOUBLE LEAF GATE



Manual Gates are supplied as standard with a full set of hinges, handles with lock and manual close stop. They also have optional extras including open latching stops and unequal leaves (maximum leaf size 2500mm).

Automated Gates are supplied as standard with a full set of hinges. Automation needs to be confirmed as underground or above ground. For above ground automation, the position of the reinforcing need to be confirmed (mid rail or bottom rail). For underground automation the dimension between post and pivot and height above underground shoes needs to be confirmed. A set of underground shoes is available as an optional extra.

Dimensions

A - Dimensions between posts/pier.


B - Width of gate panel.

C - Height of top of hinge stile from ground level.

D - Height of post/pier.

The height of the pier must be a minimum of 100mm higher than the hinge stile.

SLIDING GATE



Manual Gates are supplied as standard with a bolt down track (16mm), top guide support, open stop, close stop/catch and a lock with keys and handle.

Automated Gates are supplied as standard with a bolt down track (16mm), top guide support, open stop, close stop/catch.

For windy locations and large openings, it is recommended to have a second top guide support, and close stop/catch.

Dimensions

A - Dimensions between posts/pier.

B - Width of gate panel.

C - Overall size of the gate.

D - Height top of the hinge stile from ground level.

E - Height of post/pillar.

The overall size of the gate is the dimension between posts plus 600mm. The height of the pier must be a minimum of 100mm higher than the hinge stile.



GATES MUST BE FITTED WITH OPEN AND CLOSED STOPS. FAILURE TO DO SO MAY INVALIDATE YOUR WARRANTY.

NOTES

TERMS AND CONDITIONS

1.

Prices
- 1.1.

All quotations are based on current prices. The price under any contract whether concluded on the basis of a quotation or otherwise will be calculated according to the Company's prices ruling at the date of delivery.
- 1.2.

Prices and discounts shown in any price list are subject to alteration without notice and any new list cancels all previous lists.
- 1.3.

Prices quoted and prices shown in the price lists are exclusive of VAT.
- 1.4.

Prices quoted are ex-works. Delivery will be charged extra.
2.

Payment
- 2.1.

Office Sales. All aluminium gate and fencing products will require a minimum 50% deposit on order, and the balance (including transport where applicable) to be paid when the gate is ready for delivery and prior to despatch.
- 2.2.

Online and telephone Sales. (Online orders require payment in full with order).
- 2.3.

Aluminium Gates and Fencing are manufactured to order. Gates and Fencing are personalised and made to measure for each order. As such they are not covered by Distance Selling Regulations.
- 2.4.

Once an order has been confirmed and fabrication started, payments will not be refunded.
- 2.5.

Once confirmed, orders for Aluminium Gates and fencing cannot be cancelled, and changes in design after confirmation will be chargeable.
- 2.6.

An order is confirmed on reception of the correct deposit payment and signed and dated confirmation of design.
- 2.7.

Receipts are not issued for cheques unless requested.
- 2.8.

Customers paying by cheque must produce a valid Banker's card unless payment is made at least 5 days before despatch of the goods or materials being paid for.
3.

Quality and Description
- 3.1.

Subject to the matters set out in the next following clause, all goods and materials supplied shall:
- 3.1.1.

Conform as to quality, quantity and description with the particulars stated in the order acknowledgement.
- 3.1.2.

Be of sound materials and workmanship.
- 3.1.3.

Be equal in all respects to any written specification provided.
- 3.1.4.

If the purpose for which they are required is indicated in the order either expressly or by indication, be fit for that purpose.
4.

Measurements
- 4.1.

Specifications of weight are approximate only.
- 4.2.

The items ordered will be fabricated to measurements supplied by the customer.
- 4.3.

It is the customer's responsibility to ensure that the specification of the gate/fence to be supplied is correct.
- 4.4.

Every order will have a confirmation drawing issued indicating what is to be supplied and no fabrication will commence until this has been signed, dated and confirmed by the customer.
5.

Warranty by Customer
- 5.1.

The Customer warrants:
- 5.1.

That the Customer will carefully examine all the goods and materials supplied and will notify the Company in writing of any shortage, defect or other failure to comply with the contract which is, or ought to be apparent upon such examination, within 24 hours of their being collected or delivered.
- 5.2.

That he will notify the Company in writing within 24 hours of becoming aware of any shortage, defect or other failure to comply with the contract which was not apparent upon the aforesaid examination.
6.

Consumer sales
- 6.1.

Where a customer deals as a consumer as defined by Section 12 of the Sale of Goods Act 1977, goods and materials are supplied with the benefit where the same are applicable of the conditions and warranties implied by sections 12-15 inclusive of the Sale of Goods Act 1979.
- 6.2.

In other cases goods and materials are supplied only with the benefit where the same are applicable of the condition and warranties implied by section 12 of the Sale of Goods act 1979.
- 6.3.

Aluminium Gates and Fencing are manufactured to order. Gates and Fencing are personalised and made to measure for each order. As such they are not covered by Distance Selling Regulations.
7.

Limitation of liability of the Company
- 7.1.

Save as aforesaid and save as herein expressly set out the goods are not supplied with, or subject to, any condition, warranty or other term whether express or implied unless specifically stated by the Company in writing.
- 7.2.

In no circumstances except in respect of death or personal injury caused by the Company's negligence shall the Company's liability (in contract or otherwise) to the Customer arising under, or out of, or in connection with this contract or the goods or materials supplied exceed the cost to the Customer of replacing or repairing goods or materials of which complaint is made. Further and in any event the Company accepts no liability for any consequential loss or damage (whether for loss of profit or otherwise) costs, expenses or other claims for consequential compensation whatsoever.

- 7.3.

The Company shall not be under any liability for any cost or expense incurred by the Customer in repairing or replacing goods or materials unless the Company is first afforded a reasonable opportunity of replacing or repairing them provided that the Customer shall be entitled to effect repairs or replacement before affording such an opportunity as may be reasonably necessary to prevent any further loss or damage to the Customer.
8.

Cancellation
- 8.1.

Once an order has been confirmed and fabrication started, the order cannot be cancelled and payments will not be refunded.
- 8.2.

The deposit is not refundable after the confirmation has been signed and returned. The order will need to be paid in full when the goods are ready for shipping.
- 8.3.

In the event of the suspension of the work by the Customer's instructions or owing to lack of instructions the Company shall be entitled to increase the price by such an amount as they consider reasonable to cover any additional expense resulting to them for such suspension.
9.

Credits
- 9.1.

No goods which are made to measure can be returned for credit.
- 9.2.

Once an order has been confirmed and fabrication started, payments will not be refunded.
- 9.3.

Credit for the deposit is not refundable after the confirmation of designed has been returned.
- 9.4.

Once confirmed, orders for Aluminium Gates and fencing cannot be cancelled, and changes in design after confirmation will be chargeable.
- 9.5.

Goods which in are generally kept in stock (i.e. gate automation equipment) may be returned for credit with the Company's written consent.
- 9.6.

Where the company agrees to accept back such goods or materials for credit (point 9.5), a 20% handling charge will be deducted from the amount of the credit together with the Company's reasonable charges if any for delivering such goods or materials to and/or collecting them from the site or Customers premises.
- 9.7.

No goods or materials which are not defective and which conform to the contract may be returned without the Company's written consent.
- 9.8.

No credit will be given for goods or materials returned without the Company's written consent to the extent that the Customer establishes to the satisfaction of the Company (such satisfaction to be expressed in writing) that the said goods or materials are defective or otherwise do not conform with the contract.
10.

Delivery
- 10.1.

While the Company will do its best to meet any delivery date given or agreed by it, such dates are estimates only given in good faith, and the Company will not be liable in the event of the delivery period being exceeded or accelerated for any reason whatsoever.
- 10.2.

Aluminium Gates and Fencing will normally take approximately 6-8 weeks from order confirmation to delivery. This may be extended for special orders.
- 10.3.

Orders cannot be accepted on the basis of fixed delivery dates/times. Notification will provided of anticipated despatch and delivery dates.
- 10.4.

Where appropriate customers must ensure that there are sufficient facilities at the delivery address to unload their order.
- 10.5.

All deliveries must be checked immediately on arrival and we must be informed within 24hrs of any damages or discrepancies.
- 10.6.

Delivery will be at the Customer's premises unless otherwise agreed in writing expressly.
- 10.7.

Where the Company agrees to deliver goods or materials to the site, the Customer shall ensure that the Company's (or Company's agents) vehicles have proper access and hard road to and from the site sufficient to enable the goods or materials to be delivered and the vehicles to leave with all reasonable speed.
- 10.8.

The customer or its representative shall ensure enough individuals are present to help with the unloading of the goods.
11.

Title and risk
- 11.1.

Goods or materials delivered shall remain the property of the Company until all goods in respect of which payment is then due to the Company from the Customer are paid for, but shall be at the risk of the Customer after being delivered.
12.

Variations to Order
- 12.1.

Any quotation or agreement incorporating these terms and conditions or any of them may only be varied in writing signed by a duly authorised representative of the Company.
13.

Limitation
- 13.1.

No representative of the Company other than a director or the Company Secretary has any authority to agree any other or additional terms or conditions or to vary or waive any of the terms or conditions herein set out and then only if this is done in writing.

DISCLAIMER

Small changes may have been made to the gates shown in this brochure by the individual installers. This is usually due to specific on-site circumstances. Due to this, your gate, when installed, may not look exactly like the photo shown. Installation should always be discussed, assessed and completed by a trained gate fitter or preferably one of our approved installers. For a list of approved installers in your area please contact us via phone or email.

With our team on hand to help you every step of the way, transforming your property has never been easier. Choose one of our stunning contemporary designs and make your gate the star of your home. **SEAgates - A gate for life.**



***Pictured:** Left hand page - Top left: CL03 (bespoke), top right: CL03, bottom left: CL08, bottom right: CL08
Right hand page - Top: CL01 (bespoke), below: CL06*

SEA gates

Unit 2 Heron House
Ardath Road
Kings Norton
Birmingham
B38 9PJ
0121 433 3348
sales@seaukltd.co.uk
www.seaukltd.co.uk

With thanks to:

Rob Ken
PHOTOGRAPHY